

MAKE A HEALTHY LIVING, A WAY OF LIFE



www.shreejahealthcare.com



100%

PURE

SHREEJA
Health Care
Products

House of Purity

AN ISO 9001:2015 Certified Company



India's 1st
OIL MAKER MACHINE MANUFACTURER



— MADE IN —
BHARAT
— SINCE 2016 —

DESTINATION OF PURITY

Cold Press Oil Maker Machines



SH:400

- Capacity : 2-5kg/ Hrs (Acco. To Material Size)
- Input Voltage : 220-240 Volt Ac
- Total Power : 400 Watt
- Motor : 0.25-Hp & Rpm-56
- Power Consumed : 01 Unit / 2.5 Hrs
- Keep Working : 8-10 Hrs Continue
- Weight : 12 Kg (With Packing)
- Size : 20(L)* 8(W)* 10(H)(Inch)

MRP : 18,500/-



SH:400

- Capacity : 2-5kg/ Hrs (Acco. To Material Size)
- Input Voltage : 220-240 Volt Ac
- Total Power : 400 Watt
- Motor : 0.25-Hp & Rpm-56
- Power Consumed : 01 Unit / 2.5 Hrs
- Keep Working : 8-10 Hrs Continue
- Weight : 12 Kg (With Packing)
- Size : 20(L)* 8(W)* 10(H)(Inch)

MRP : 21,000/-



SH:800

- Capacity : 5-7kg/ Hrs (Acco. To Material Size)
- Input Voltage : 220-240 Volt Ac
- Total Power : 800 Watt
- Motor : 0.53-Hp & Rpm-68
- Power Consumed : 0.8 Unit/Hrs
- Keep Working : 10-12 Hrs Continue
- Weight : 18.5 Kg (With Packing)
- Size : 19(L)*8(W)*15(H)(Inch)


MRP : 26,800/-



SH:1200

- Capacity : 8-10 kg/ Hrs (Acco. To Material Size)
- Input Voltage : 220-240 Volt Ac
- Total Power : 1200 Watt
- Motor : 0.8-Hp & Rpm-72
- Power Consumed : 1.2 Unit/Hrs
- Keep Working : 10-12 Hrs Continue
- Weight : 34 Kg (Without Packing)
- Size : 24(L)*9(W)* 24(H)(Inch)

MRP : 44,800/-



SH:1600

- Capacity : 12-15 Kg/ Hrs (Acco. To Material Size)
- Input Voltage : 220-240 Volt Ac
- Total Power : 1600 Watt
- Motor : 1-Hp & Rpm-72
- Power Consumed : 1.6 Unit/Hrs
- Keep Working : 10-12 Hrs Continue
- Weight : 36 Kg (Without Packing)
- Size : 25(L)*9.5(W)*25(H)(Inch)

MRP : 54,000/-



SH:2000 (Mini)

- Capacity : 16-19 kg/ Hrs (Acco. To Material Size)
- Input Voltage : 220-240 Volt Ac
- Total Power : 1800 Watt
- Motor : 1.5-Hp (Godrej) RPM-72
- Power Consumed : 1.5 Unit/ Hrs
- Keep Working : 10-12 Hrs Continue
- Weight : 70 kg (Without Packing)
- Size : 37 (L)* 17 (W)* 40 (H)(Inch)

MRP : 95,000/-



SH:2000

- Capacity : 20-25kg/ Hrs (Acco. To Material Size)
- Input Voltage : 220-240 Volt Ac
- Total Power : 2000 Watt
- Motor : 1.14-Hp & Rpm-70
- Power Consumed : 2 Unit/ Hrs
- Keep Working : 12-15 Hrs Continue
- Weight : 140 Kg (Without Packing)
- Size : 41(L)*22(W)*48(H)(Inch)

MRP : 1,09,400/-



SH:3500

- Capacity : 28-32kg/ Hrs (Acco. To Material Size)
- Input Voltage : 220-240 Volt Ac
- Total Power : 3500 Watt
- Motor : 2 Hp & Rpm-58
- Power Consumed : 3.5 Unit/Hrs
- Keep Working : 12-15 Hrs Continue
- Weight : 126 Kg (Without Packing)
- Size : 30(L)*14(W)*34(H)(Inch)

MRP : 1,42,000/-



WOODEN GHANI

- Capacity : 15-20 Kg/Hrs (Acco. To Material Size)
- Input Voltage : 220 Or 440 Volt Ac
- Total Power : 2250 Watt
- Motor : 3 Hp & Rpm-17
- Power Consumed : 2.5 Unit/Hrs
- Keep Working : 20 Hrs Continue
- Weight : 375 Kg Without Motor
- Size : 3.5(L)*3.5(W)*4.5(H)(Feet)
- Wooden Use : Acacia Tree (Babul Tree)

MRP : 1,75,000/-

Oil Filtration Machines



- Capacity : 2-4 Ltr/Hrs(At.std.Temp.50C)
- Type : Solid-liquid Separation
- Input Voltage : 220-240 Volt Ac
- Motor Power : 40 Watt
- Power Consumption : 1 Unit/10 Hrs Machine Work
- Keep Working : 7-8 Hrs Continues
- Weight : 9 Kg (With Packing)
- Size : 350(Od)*540(H)mm
- Filter Cloth Use : Nylon (Double Cloth)

MRP : 19,800/-

SH:VF-40



- Capacity : 15-20 Ltr/Hrs(At. Std. Temp.50 C)
- Type : Solid-liquid Separation
- Input Voltage : 220-240 Volt Ac
- Motor Power : 550 Watt
- Power Consumption : 1 Unit/2 Hrs Machine Work
- Keep Working : 12-15 Hrs Continues
- Weight : 50 Kg (Without Packing)
- Size : 460(Od)*680(H)mm
- Filter Cloth Use : Nylon (Double Cloth)

MRP : 49,800/-


SH:VF-550



SH: APF-550
(Air Pressure Filter)

- Capacity : 50-70 Ltr/Hrs
- Type : Solid-liquid Separation
- Input Voltage : 220-240 Volt Ac
- Motor Power : 550 Watt
- Power Consumption : 1 Unit/2 Hrs
- Keep Working : 15-20 Hrs Continues
- Weight : 120 Kg (Without Packing)
- Size : 30(L)*30(W)*45(H)(Inch)
- Filter Cloth Use : Nylon (Double Cloth)


MRP :-1,07,900/-



10*10 Filter Press

- Capacity : 30-35 Ltr/Hrs(At.std. Temp.50 C)
- Type : Solid-liquid Separation
- Input Voltage : 220 Or 440 Volt Ac
- Motor Power : 1 Hp With Pump
- Power Consumption : 1 Unit/1.5 Hrs Machine Work
- Keep Working : 12-15 Hrs Continues
- Weight : 220 KG
- Size : 36(L)*20(W)*18(H)(Inch)
- FILTER CLOTH USE: Cotton & Nylon (Double Cloth)

MRP : 71,500/-



SH: PRF - 500
(Plate Ring Filter)

- Capacity : 60-80Ltr/Hrs(At.std. Temp.50 C)
- Type : Solid-liquid Separation
- Input Voltage : 220 Or 440 Volt Ac
- Motor Power : 0.75 Hp With Pump
- Power Consumption : 0.5 Unit/1 Hrs Machine Work
- Keep Working : 15-20 Hrs Continues
- Weight : 180 KG
- Size : 35(L)*21(W)*33 (H) (Inch)
- FILTER CLOTH USE : Cotton & Nylon (Double Cloth)

MRP : 85,800/-

Coconut Cutter



1 HP

Motor Hp	01
Weight	25
Length	20
Width	15
Height	21
Capacity (Per Hrs)	30-40 Kg

MRP : 10,700/-



2 HP

Motor Hp	02
Weight	55
Length	23
Width	17
Height	26
Capacity (Per Hrs)	70-80 Kg

MRP : 18,400/-

Cold Press Oil Expeller Machines



SH:2300

- Capacity : 35-40Kg/Hrs
- Input Voltage : 220 Volt Ac
- Motor Power-Hp : 3 HP/1440
- Rpm Of Screw : 38-42
- Net Weight (Kg) : 180
- Size : 44(L)*22(W)*66(H)(Feet)

MRP : 1,66,930/-



SH:5500

- Capacity : 60-80 Kg/Hrs
- Input Voltage : 415 Volt Ac
- Motor Power-Hp : 7.5hp/1440
- Rpm Of Screw : 38-42
- Working Hrs Capacity(Per 24 Hrs) : 1.4 To 2T
- Net Weight (Kg) : 350
- Size : 4.5(L)*1.6(W)*2.8(H)(Feet)

MRP : 1,92,410/-
Without Motor



SH:7500

- Capacity : 150-200 Kg/Hrs
- Input Voltage : 415 Volt Ac
- Motor Power-Hp : 10HP/1440
- Rpm Of Screw : 28-32
- Working Hrs Capacity (Per 24 Hrs) : 3.5 TO 5T
- Net Weight (Kg) : 550
- Size : 5.2(L)*1.6(W)*2.8(H)(Feet)

MRP : 2,56,025/-


Without Motor

SH:11000

- Capacity : 200-300 Kg/Hrs
- Input Voltage : 415 Volt Ac
- Motor Power-Hp : 15 HP/ 960
- Rpm Of Screw : 28-32
- Working Hrs Capacity(Per 24 Hrs) : 5-7 T
- Net Weight (Kg) : 650
- Size : 5.9(L)*1.6(W)*2.8(H)(Feet)

MRP : 3,03,966/-

Without Motor



Multipurpose Shelling Machines



MANUAL OPERATED

- Capacity : 40-50 Kg/Hr
- Size : 55 x 33 x 55 (CM)
- Material : Mild Steel
- Weight : 12 kg (Approx)

MRP : 6,500/-



1 HP

- Capacity : Peanut - 100-120 kg/hr
- Size : 38h x 20w x 32 L (inch)
- Material : Mild Steel /Stainless Steel
- Working : Main Purpose of this machine is dehussing peanuts, Castor and Garli, Breaking, Slitting Roasted Peanut Red Skin Remove.
- Roasted Peanut : (250 kg/Hr)
- Skin Removing

MRP : 39,800/-

आधुनिक जिलोना मशीनथी, परंपरागत भाजणानो स्वाद!

Dairy Products Machinery

Vedic Bilona Machines



NEW

DOMESTIC MATHANI

- Model : SH:BM-100(Home Use)
- Capacity : 2-10LTR
- Type : Solid To Semi Liquid Formation
- Input Voltage : 220-240 Volt Ac
- Total Power : 100 Watt
- Motor Power : 24V DC
- Power Consumption : 0.25 Unit/Hrs
- Rpm : Variable
- Process Time : 30-45 Minute
- Weight : 5 KG (With Packing)
- Size : 115(W)*325(H)*115(L)(mm)
- Wooden Use : Mango Tree

MRP : 9,890/-



VEDIC HANDMADE BILONA

- Capacity : 5 to 15 Ltr
- Wooden Use : Sagwan Tree

MRP : 7980/-



MINI COMMERCIAL MATHANI

- Model : SH: BM-200 (Commercial Use)
- Capacity : 25-30 LTR
- Type : Solid To Semi Liquid Formation
- Input Voltage : 220-240 Volt Ac
- Total Power : 200 Watt
- Motor Power : 24V DC
- Power Consumption : 1 Unit / 4 Hrs Machine Work
- Rpm : Variable
- Processing Time : 30-45 Min/Batch
- Weight : 21 KG (With Packing)
- Size : 14(W)*33(H)*17(L)(inch)
- Wooden Use : sagwan Tree

MRP : 18,700/-

COMMERCIAL VEDIC MATHANI

- Model : SH: BM-800 (Commercial Use)
- Capacity : 100 LTR
- Type : Solid To Semi Liquid Formation
- Input Voltage : 220-240 Volt Ac
- Total Power : 800 Watt
- Motor Power : 24V DC
- Power Consumption : 0.8 Unit / HRS
- Rpm : 900 to 1200 Variable
- Processing Time : 30-45 Min/Batch
- Weight : 60 KG
- Size : 34(W)* 57(H)*36(L)(Inch)
- Wooden Use : sagwan Tree

MRP : 78,700/-



NEW

Masala Grinder Machines



SH-MG-300



SH-MG-500



SH-MG-1000



SH-MG-2000



SH-MG-3000

Capacity	300 GM (Bowl Capacity)	500 GM (Bowl Capacity)	1000 GM (Bowl Capacity)	2000 GM (Bowl Capacity)	3000 GM (Bowl Capacity)
Motor Power	1500 Watt	2000 Watt	3000 Watt	3800 Watt	5000 Watt
Input Voltage	220-240/50HZ	220-240/HZ	220-240/HZ	220-240/VAC	220-240/VAC
Weight With Packing	3.82 Kg	5.6 Kg	7.63 Kg	8.5 Kg	12 Kg
MRP	7650/-	10,000/-	14950/-	20,000/-	25,000/-

हम करे स्वस्थ दुनिया का निर्माण

ઘર ઘર વસાવો ઘાણી




Note: Oil Yield Depends On Seeds Quality Only & Capacity Depend On Seeds Size

Certificates



Our Presence



+91 95103 01091



sales@shreejahealthcare.com



Plot No. 4, Block No. 26, Ekta Industrial Estate, Part - 2, Tempo Gali, Pipodara, G.I.D.C., Ta. Mangrol, Surat - 394110



Qr Code
For Website

Interact With Us On : [f](#) [i](#) [v](#) [in](#) [t](#) /SHREEJA